

# 1132

## Ceiling Fixture



### Features

#### Housing

Die-formed Cold-rolled Steel  
 Finish Option: -01 Polish Brass, -06 White, -30 Oil Rubbed Bronze, -62 Satin Nickel

#### Optical

Shade: High Transmission Acrylic Creates Excellent Light Distribution and Uniformity  
 LED: High Efficiency, High CRI, Binned and Mixed to Reach Uniform Light

#### Electrical

High Power Factor, Low THD

#### Lamp


LED Type: Built-in (Color Temperature Option – 3500K, 4000K, 5000K)  
 CFL Type: GU24 CFL Bulb (Color Temperature Option – 2700K, 4000K)

#### Certification

UL/cUL, ETL/cETL Listed, Suitable for Damp Locations, Energy Star

#### Warranty

5 Years Warranty on Driver and LED Module



### LED Type

Model	Input Voltage	Input Wattage	LED CT / CRI	Lumen (TYP)	Dimension (OD X H)	Finish	Shade	Energy Star
1132D-06-3000K	120V	18W	3000K / 80	1300	14.5" x 5.4"	White	High Light Transmission Acrylic	Yes
1132D-06-4100K	120V	18W	4100K / 80	1350	14.5" x 5.4"	White	High Light Transmission Acrylic	Yes
1132D-62-3000K	120V	18W	3000K / 80	1280	14.5" x 5.4"	Satin Nickel	High Light Transmission Acrylic	Yes
1132D-62-4100K	120V	18W	4100K / 80	1340	14.5" x 5.4"	Satin Nickel	High Light Transmission Acrylic	Yes
1132D-06-3000K-AG	120V	18W	3000K / 80	1000	14.5" x 5.4"	White	Alabaster Glass	Yes
1132D-06-4100K-AG	120V	18W	4100K / 80	1050	14.5" x 5.4"	White	Alabaster Glass	Yes
1132D-62-3000K-AG	120V	18W	3000K / 80	1000	14.5" x 5.4"	Satin Nickel	Alabaster Glass	Yes
1132D-62-4100K-AG	120V	18W	4100K / 80	1050	14.5" x 5.4"	Satin Nickel	Alabaster Glass	Yes

### CFL Type

Model	Input Voltage	Finish	Shade	Lamp	Dimension (OD x H)	Energy Star
1132PG-218-06	120V	White	Frosted Swirl Glass	2 x 18W GU24	14.5" x 5.4"	Yes
1132PG-218-62	120V	Satin Nickel	Frosted Swirl Glass	2 x 18W GU24	14.5" x 5.4"	Yes
1132PG-218-30	120V	Oil Rubbed Bronze	Frosted Swirl Glass	2 x 18W GU24	14.5" x 5.4"	Yes